



**FUNCTIONAL BLOCK DIAGRAM**






Figure 1. Functional Block Diagram

GLF  
INTEGRATED POWER

**PACKAGE OUTLINE**



| Dimensional Ref.      |           |       |       |
|-----------------------|-----------|-------|-------|
| REF.                  | Min.      | Nom.  | Max.  |
| A                     | 0.500     | 0.550 | 0.600 |
| A1                    | 0.225     | 0.250 | 0.275 |
| A2                    | 0.275     | 0.300 | 0.325 |
| D                     | 0.960     | 0.970 | 0.985 |
| E                     | 0.960     | 0.970 | 0.985 |
| D1                    | 0.450     | 0.500 | 0.550 |
| E1                    | 0.450     | 0.500 | 0.550 |
| b                     | 0.260     | 0.310 | 0.360 |
| e                     | 0.500 BSC |       |       |
| SD                    | 0.250 BSC |       |       |
| SE                    | 0.250 BSC |       |       |
| Tol. of Form&Position |           |       |       |
| aaa                   | 0.10      |       |       |
| bbb                   | 0.10      |       |       |
| ccc                   | 0.05      |       |       |
| ddd                   | 0.05      |       |       |

Notes

1. ALL DIMENSIONS ARE IN MILLIMETERS (ANGLES IN DEGREES).
2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M-1994.